



# Transconjunctival blepharoplasty all the way

Bassem Morshed

Oculoplastic surgery consultant  
Cairo, Egypt



# Lower eyelids blepharoplasty

Surgical intervention to cosmetically improve and restore rejuvenation to the lower eyelids

- Puffiness in the lower eyelids
- Skin redundancy
- Mid-face lift
- Dark circles
- Malar festoons
- Complicated filler removal



# Lower eyelids blepharoplasty

- Transcutaneous approach (sub-ciliary)
  - Incision beneath the lash line
  - Indicated in cases of severe skin redundancy
- Transconjunctival approach
  - Incision in the palpebral conjunctiva
  - Forms more than 85% of my practice



# Transconjunctival blepharoplasty

## Advantages:

- No scar or incision to the skin
- Can do different procedures through it
- Doesn't affect the position of the lower eyelid nor the normal shape
- Fast healing & recovery



# Transconjunctival blepharoplasty

## Limitations:

- Skin excess
- Orbicularis hypertrophy
- Ectropion
- Lower eyelid retraction



# Transcutaneous approach

## Disadvantages:

- Scar to the skin
- Eyelid margin ectropion
- Round shaped lateral canthus
- Change in the normal shape of the eyelids





7 Days



7 Days





# 14 Days



# 14 Days



21 Days



21 Days



# 21 Days



# 21 Days



# 60 Days






# Malar festoons



30 days



30 days





30 days




30 days



# Skin booster





# TAKE HOME MESSAGES

➤ Transconjunctival blepharoplasty is;

- Safe and reliable
- Could be followed by other treatments
- Satisfactory to the patients
- Prevents the side effects of the transcutaneous approach
- Fast healing and recovery





DR.BASSEM MORSHED

# Thank You

[bassemorshed@yahoo.com](mailto:bassemorshed@yahoo.com)



dr.bassemmorshed

